



**Calendar showing the percentage of incidence of Pink mealy bug, *Maconellicoccus hirsutus*, in different agro climatic zones in South India during the year, 2014**

Name of the centre	Jan	Feb	Mar	April	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CSRTI, Mysore	4.23	3.92	2.20	2.14	1.87	2.35	4.45	6.70	3.27	1.70	0.60	0.30
RSRS Chamaraja Nagar	0	0.15	0.30	0	0	0	0	0.0	0.10	0.30	1.80	0
RSRS Salem	2.82	3.10	1.64	4.84	5.52	3.68	5.01	4.56	3.98	2.68	2.80	3.12
REC Krishnagiri	4.06	6.88	2.06	4.70	5.26	4.14	4.65	4.12	3.46	2.62	2.25	2.46
REC Samayanallur	5.02	9.20	5.73	4.78	6.18	12.38	9.28	07	7.92	9.50	3.40	1.14
REC Eluru	8.20	18.86	15.27	4.85	0.83	12.00	8.00	10	2.05	2.24	1.01	0.83



**Calendar showing the incidence of Leaf roller, *Diaphania pulverulentalis*, in different agro climatic zones in South India during the year, 2014**

Name of the centre	Jan	Feb	Mar	April	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CSRTI, Mysore	0.68	0	0	0	0	0	3.60	0	0.14	3.10	13	03
RSRS Chamaraja Nagar	0	0	0	0	0	0	0	0	0	0	0	0
RSRS Salem	4.58	1.88	1.94	0	0	0	0	0	0.20	1.20	2.96	3.86
REC Krishnagiri	5.32	6.04	3.46	0	0	0	0	0	0.39	2.02	3.03	3.74
REC Samayanallur	2.30	2.0	0.60	0.12	0	0.50	2.38	1.70	0.30	7.0	17.2	18.73
REC Eluru	0	8.86	14	0	1.16	10.80	0	7.32	0	0	0	0



**Calendar showing the incidence of thrips, *Pseudodendrothrips* sp., in different agro climatic zones in South India during the year, 2014**

Name of the centre	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
CSRTI, Mysore	0.22	0	0	0	0	0	0	0	0	0	0	0.60
RSRS,Chamaraja Nagar	0	0	0.30	0	0	0	0.70	1.20	1.10	0.90	0.60	0
RSRS, Salem	3.28	4.18	4.12	6.02	7.20	4.34	6.05	4.85	4.12	2.37	2.64	3.28
REC, Krishnagiri	4.44	3.86	4.86	7.02	7.86	5.76	6.10	4.92	3.75	1.56	1.39	2.90
REC, Samayanallur	1.20	4.34	2.40	9.80	11.30	12	16.2	14	18.50	15.4	1.90	0.60
REC, Eluru	20.12	14.36	19.92	1.84	0	0	21.76	0	2.96	2.92	1.96	2.24

